TK1259/LF-UNIV OM/New 4/2/03 05:07 PM Page 1

REMOTE CONTROL EXTENDER

Leapfrog® by TERK

REMOTE CONTROL RANGE EXTENDER
LF-UNIV OWNERS MANUAL

THE LF-UNIV REMOTE CONTROL TRANSMITTER MODULE

LF-UNIV Transmitter





remote not included

LF-UNIV's *miniature transmitter module easily attaches to any remote control. It converts IR (Infrared) signals emitted by your remote control into powerful radio signals which are then broadcast up to a distance of 150 feet (46 meters.)*

Battery Installation: *Open the cover by squeezing on sides and separate. Insert the supplied battery, noting proper polarity as indicated. Then close the cover.*

Remote Control: *Find the position in front of your remote control that makes the LF-UNIV Indicator LED flash when using your remote control. Attach the module to your remote control using the supplied Velcro. There should be no space between the module and the remote control.*

THE LF-UNIV INFRARED RECEIVER (BASE STATION)

LF-UNIV Receiver



aim front towards components

*Your **Remote Control Extender** receiver receives the radio signals from the Leapfrog Transmitter module and converts them back into the original infrared signals.*

***LF-UNIV Receiver Placement:** Place the receiver facing the components of your system. Extend the antenna. Plug the 110V adapter into your household AC outlet and insert the jack on the adapter into the receiver unit. The LF-UNIV receiver will operate at any range from 3′ to 30′ from your components.*

***Your LF-UNIV Remote Control Extender** is always "ON" -- ready to receive your every command! Walls won't stop the Remote Control Extender. You can use your remote control from almost anywhere!*

***Infrared Extension:** The Extension can be used in situations where the Receiver can not be placed in front of the component(s) it is controlling. This device consists of an Infrared diode connected to a 8ft. extension wire and plug.*



TK1259/LF-UNIV OM/New 4/2/03 05:07 PM Page 4

LIMITED WARRANTY

TERK TECHNOLOGIES CORP. (TERK) warrants this product against defects in materials and workmanship for one year from the date of purchase. During this warranty period, this product will be repaired or replaced, at TERK's option, without charge.

Please read your instructions thoroughly and use this product only as directed. This warranty does not cover any damage due to commercial use, accident, misuse, abuse or negligence. This warranty is valid only in the United States of America.

Repair or replacement as provided under this warranty is the exclusive remedy of the consumer. TERK shall not be liable for any incidental or consequential damages for breach of any expressed or implied warranty on this product, except to the extent prohibited by applicable law. Any implied warranty of merchantability or fitness for a particular purpose on this product is limited to the duration of this warranty.

TERK Technologies
Commack, NY 11725
1 800-942-8375
www.terk.com

See Leapfrog's complete line of multi-room products at www.terk.com

47P005